Index of Papers Published in 1978

Author Index

A

Abou-Sayed, A.S. *et al.*: *Containment of Massive Hydraulic Fractures*, (Tech. Paper) SPEJ Feb., 27-32

Aderangi, N. *et al.*: *Observations on the Coalescence Behavior of Oil Droplets and Emulsion Stability in Enhanced Oil Recovery*, (Tech. Paper) SPEJ Dec., 409-417

Aktan, T. *et al.*: *Finite-Element Analysis of Temperature and Thermal Stresses Induced by Hot Water Injection*, (Tech. Paper) SPEJ Dec., 457-469

Arhan, M. *et al.*: *Comparison of Period- or Height-Dependent, Sea-State Parameters From a Theoretical Model With Observation at Sea*, (Forum) SPEJ Aug., 233-238

B

Bansal, V.K. and **Shah, D.O.**: *The Effect of Ethoxylated Sulfonates on Salt Tolerance and Optimal Salinity of Surfactant Formulations for Tertiary Oil Recovery*, (Tech. Paper) SPEJ June, 167-172

Berard, G.P. and **Eliason, B.G.**: *An Improved Gas Transmission System Simulator*, (Tech. Paper) SPEJ Dec., 389-398

Bickel, T.C. *et al.*: *Optimal Design of Gas Transmission Networks*, (Tech. Paper) SPEJ Apr., 96-104

Brooks, J.C. and **Hong, S.T.**: *Dynamic Behavior and Design of Offshore Caissons*, (Tech. Paper) SPEJ Oct., 291-299

C

Cinco L., H. *et al.*: *Transient Pressure Behavior for a Well With a Finite-Conductivity Vertical Fracture*, (Tech. Paper) SPEJ Aug., 253-264

Claridge, E.L.: *A Method for Designing Graded Viscosity Banks*, (Transaction) SPEJ Oct., 315-324

Clifton, R.J. *et al.*: *Containment of Massive Hydraulic Fractures*, (Tech. Paper) SPEJ Feb., 27-32

Closmann, P.J. and **Phocas, D.M.**: *Thermal Stresses Near a Heated Fracture in Transversely Isotropic Oil Shale*, (Transaction) SPEJ Feb., 59-74

Coats, K.H.: *A Highly Implicit Steamflood Model*, (Tech. Paper) SPEJ Oct., 369-383

D

Daneshy, A.A.: *Hydraulic Fracture Propagation in Layered Formations*, (Tech. Paper) SPEJ Feb., 33-41

de Swaan, A.: *Theory of Waterflooding in Fractured Reservoirs*, (Transaction) SPEJ Apr., 117-122

Dilgren, R.E. and **Lawson, J.B.**: *Adsorption of Sodium Alkyl Aryl Sulfonates on Sandstone*, (Transaction) SPEJ Feb., 75-82

Dominguez A., N. *et al.*: *Transient Pressure Behavior for a Well With a Finite-Conductivity Vertical Fracture*, (Tech. Paper) SPEJ Aug., 253-264

Dougherty, E.L. *et al.*: *A Generalized Method for Making Optimal Estimates of Reservoir Aquifer Parameters*, (Transaction) SPEJ Apr., 123-132

Dougherty, E.L. and **Lohrenz, J.**: *Statistical Analysis of Solo and Joint Bids for Federal Offshore Oil and Gas Leases*, (Tech. Paper) SPEJ Apr., 87-95

E

Edgar, T.F. *et al.*: *Optimal Design of Gas Transmission Networks*, (Tech. Paper) SPEJ Apr., 96-104

Eliason, B.G. and **Berard, G.P.**: *An Improved Gas Transmission System Simulator*, (Tech. Paper) SPEJ Dec., 389-398

Eralp, A.E. *et al.*: *Calcium Sulfate Scale Formation: A Kinetic Approach*, (Transaction) SPEJ Apr., 133-138

Ezraty, R. *et al.*: *Comparison of Period- or Height-Dependent, Sea-State Parameters From a Theoretical Model With Observation at Sea*, (Forum) SPEJ Aug., 233-238

F

Farouq Ali, S.M. *et al.*: *Finite-Element Analysis of Temperature and Thermal Stresses Induced by Hot Water Injection*, (Tech. Paper) SPEJ Dec., 457-469

Fischer, D.D. *et al.*: *A Permeation Theory for In-Situ Coal Gasification*, (Transaction) SPEJ Oct., 300-314

Fussell, D.D. and **Yanosik, J.L.**: *An Iterative Sequence for Phase Equilibria Calculations Incorporating the Redlich-Kwong Equation of State*, (Tech. Paper) SPEJ June, 173-182

G

Gavalas, G.R. *et al.*: *Error Analysis in History Matching: The Optimum Level of Parametrization*, (Tech. Paper) SPEJ June, 219-228

Gill, J.S. *et al.*: *Calcium Sulfate Scale Formation: A Kinetic Approach*, (Transaction) SPEJ Apr., 133-138

Gunn, R.D. *et al.*: *A Permeation Theory for In-Situ Coal Gasification*, (Transaction) SPEJ Oct., 300-314

Gupta, S.P. and **Trushenski, S.P.**: *Micellar Flooding -- The Propagation of the Polymer Mobility Buffer Bank*, (Tech. Paper) SPEJ Feb., 5-12

H

Hadinoto, N. and **Raghavan, R.**: *Analysis of Pressure Data for Fractured Wells: The Constant-Pressure Outer Boundary*, (Transaction) SPEJ Apr., 139-150

Helfferich, F. *et al.*: *Finite-Element Analysis of Temperature and Thermal Stresses Induced by Hot Water Injection*, (Tech. Paper) SPEJ Dec., 457-469

Helfferich, F. and **Lake, L. W.**: *Cation Exchange in Chemical Flooding: Part 2 -- The Effect of Dispersion, Cation Exchange, and Polymer/Surfactant Adsorption in Chemical Flood Environment*, (Tech. Paper) SPEJ Dec., 435-444

Helfferich, F. *et al.*: *Cation Exchange in Chemical Flooding: Part 1 -- Basic Theory Without Dispersion*, (Tech. Paper) SPEJ Dec., 418-434

Hill, H.J. and **Lake, L.W.**: *Cation Exchange in Chemical Flooding: Part 3 -- Experimental*, (Tech. Paper) SPEJ Dec., 445-456

Himmelblau, D.M. *et al.*: *Optimal Design of Gas Transmission Networks*, (Tech. Paper) SPEJ Apr., 96-104

Hirasaki, G.J. and **Larson, R.G.**: *Analysis of the Physical Mechanisms in Surfactant Flooding*, (Tech. Paper) SPEJ Feb., 42-58

Hong, S.T. and **Brooks, J.C.**: *Dynamic Behavior and Design of Offshore Caissons*, (Tech. Paper) SPEJ Oct., 291-299

Hvolboll, V.T.: *Method for Accurately Measuring Produced Oil Volumes During Laboratory Waterflood Tests at Reservoir Conditions*, (Forum) SPEJ Aug., 239-241

J

Jacobson, J.K. *et al.*: *Interfacial Tension and Phase Behavior of Surfactant Systems*, (Tech. Paper) SPEJ Aug., 242-252
Jain, R.K. and **Kirk, C.L.**: *Response of Articulated Towers to Waves and Current*, (Tech. Paper) SPEJ Oct., 283-290

K

Kazemi, H. *et al.*: *An Efficient Multicomponent Numerical Simulator*, (Tech. Paper) SPEJ Oct., 355-368
Khairkhah, D. *et al.*: *A Generalized Method for Making Optimal Estimates of Reservoir Aquifer Parameters*, (Transaction) SPEJ Apr., 123-132
Kirk, C.L. and **Jain, R.K.**: *Response of Articulated Towers to Waves and Current*, (Tech. Paper) SPEJ Oct., 283-290
Kozik, T.J. and **Noerager, J.**: *Riser Tensioner Force Variations*, (Transaction) SPEJ Dec., 399-408

L

Lake, L. W. and **Helfferich, F.**: *Cation Exchange in Chemical Flooding: Part 2 -- The Effect of Dispersion, Cation Exchange, and Polymer/Surfactant Adsorption in Chemical Flood Environment*, (Tech. Paper) SPEJ Dec., 435-444
Lake, L.W. and **Hill, H.J.**: *Cation Exchange in Chemical Flooding: Part 3 -- Experimental*, (Tech. Paper) SPEJ Dec., 445-456
Lake, L.W. *et al.*: *Cation Exchange in Chemical Flooding: Part 1 -- Basic Theory Without Dispersion*, **(Tech. Paper) SPEJ Dec.**, 418-434
Larson, R.G. and **Hirasaki, G.J.**: *Analysis of the Physical Mechanisms in Surfactant Flooding*, (Tech. Paper) SPEJ Feb., 42-58
Laurent, M. *et al.*: *Comparison of Period- or Height-Dependent, Sea-State Parameters From a Theoretical Model With Observation at Sea*, (Forum) SPEJ Aug., 233-238
Lawson, J.B. and **Dilgren, R.E.**: *Adsorption of Sodium Alkyl Aryl Sulfonates on Sandstone*, (Transaction) SPEJ Feb., 75-82
Lefebvre du Prey, E.: *Gravity and Capillarity Effects on Imbibition in Porous Media*, (Tech. Paper) SPEJ June, 195-206
Lohrenz, J. and **Dougherty, E.L.**: *Statistical Analysis of Solo and Joint Bids for Federal Offshore Oil and Gas Leases*, (Tech. Paper) SPEJ Apr., 87-95

M

Michnick, M.J. *et al.*: *An Experimental Investigation Into the Use of High-Pressure Liquid Chromatography for the Determination of Petroleum Sulfonates*, (Tech. Paper) SPEJ June, 207-218
Morgan, J.C. *et al.*: *Interfacial Tension and Phase Behavior of Surfactant Systems*, (Tech. Paper) SPEJ Aug., 242-252

N

Nancollas, G.H. *et al.*: *Calcium Sulfate Scale Formation: A Kinetic Approach*, (Transaction) SPEJ Apr., 133-138
Nelson, R.C. and **Pope, G.A.**: *A Chemical Flooding Compositonal Simulator*, (Tech. Paper) SPEJ Oct., 339-354
Nelson, R.C. and **Pope, G.A.**: *Phase Relationships in Chemical Flooding*, (Transaction) SPEJ Oct., 325-338
Noerager, J. and **Kozik, T.J.**: *Riser Tensioner Force Variations*, (Transaction) SPEJ Dec., 399-408

P

Peaceman, D.W.: *Interpretation of Well-Block Pressures in Numerical Reservoir Simulation*, (Transaction) SPEJ June, 183-194
Phocas, D.M. and **Closmann, P.J.**: *Thermal Stresses Near a Heated Fracture in Transversely Isotropic Oil Shale*, (Transaction) SPEJ Feb., 59-74
Pierson, R.G. and **Thomas, L.K.**: *Three-Dimensional Geothermal Reservoir Simulation*, (Transaction) SPEJ Apr., 151-161
Pope, G.A. and **Nelson, R.C.**: *A Chemical Flooding Compositonal Simulator*, (Tech. Paper) SPEJ Oct., 339-354
Pope, G.A. *et al.*: *Cation Exchange in Chemical Flooding: Part 1 -- Basic Theory Without Dispersion*, **(Tech. Paper)** SPEJ Dec., 418-434
Pope, G.A. and **Nelson, R.C.**: *Phase Relationships in Chemical Flooding*, (Transaction) SPEJ Oct., 325-338

R

Raghavan, R. and **Hadinoto, N.**: *Analysis of Pressure Data for Fractured Wells: The Constant-Pressure Outer Boundary*, (Transaction) SPEJ Apr., 139-150
Raghavan, R. *et al.*: *Vertical Fracture Height: Effect on Transient Flow Behavior*, (Tech. Paper) SPEJ Aug., 265-277
Robertson, G.E. and **Woo, P.T.**: *Grid Orientation Effects and the Use of Orthogonal Curvilinear Coordinates in Reservoir Simulation*, (Tech. Paper) SPEJ Feb., 13-19
Rosman, A. *et al.*: *Phase Behavior Properties of CO2-Reservoir Oil System*, (Tech. Paper) SPEJ Feb., 20-26
Rozsa, R.B. and **Thorsness, C.B.**: *In-Situ Coal Gasification: Model Calculations and Laboratory Experiments*, (Tech. Paper) SPEJ Apr., 105-116

S

Salager, J.-L. *et al.*: *Interfacial Tension and Phase Behavior of Surfactant Systems*, (Tech. Paper) SPEJ Aug., 242-252
Samaniego V., F. *et al.*: *Transient Pressure Behavior for a Well With a Finite-Conductivity Vertical Fracture*, (Tech. Paper) SPEJ Aug., 253-264
Schechter, R.S. *et al.*: *Interfacial Tension and Phase Behavior of Surfactant Systems*, (Tech. Paper) SPEJ Aug., 242-252
Seinfeld, J.H. *et al.*: *Error Analysis in History Matching: The Optimum Level of Parametrization*, (Tech. Paper) SPEJ June, 219-228
Shah, D.O. and **Bansal, V.K.**: *The Effect of Ethoxylated Sulfonates on Salt Tolerance and Optimal Salinity of Surfactant Formulations for Tertiary Oil Recovery*, (Tech. Paper) SPEJ June, 167-172
Shah, P.C. *et al.*: *Error Analysis in History Matching: The Optimum Level of Parametrization*, (Tech. Paper) SPEJ June, 219-228
Shah, S.M. *et al.*: *Observations on the Coalescence Behavior of Oil Droplets and Emulsion Stability in Enhanced Oil Recovery*, (Tech. Paper) SPEJ Dec., 409-417
Shank, G.D. *et al.*: *An Efficient Multicomponent Numerical Simulator*, (Tech. Paper) SPEJ Oct., 355-368
Simon, R. *et al.*: *Phase Behavior Properties of CO2-Reservoir Oil System*, (Tech. Paper) SPEJ Feb., 20-26
Simonson, E.R. *et al.*: *Containment of Massive Hydraulic Fractures*, (Tech. Paper) SPEJ Feb., 27-32

T

Thomas, G.W. *et al.*: *Vertical Fracture Height: Effect on Transient Flow Behavior*, (Tech. Paper) SPEJ Aug., 265-277
Thomas, L.K. and **Pierson, R.G.**: *Three-Dimensional Geothermal Reservoir Simulation*, (Transaction) SPEJ Apr., 151-161
Thorsness, C.B. and **Rozsa, R.B.**: *In-Situ Coal Gasification: Model Calculations and Laboratory Experiments*, (Tech. Paper) SPEJ Apr., 105-116

Trushenski, S.P. and **Gupta, S.P.**: *Micellar Flooding -- The Propagation of the Polymer Mobility Buffer Bank*, (Tech. Paper) SPEJ Feb., 5-12

U

Uraiet, A. *et al.*: *Vertical Fracture Height: Effect on Transient Flow Behavior*, (Tech. Paper) SPEJ Aug., 265-277

V

Vestal, C.R. *et al.*: *An Efficient Multicomponent Numerical Simulator*, (Tech. Paper) SPEJ Oct., 355-368

W

Wade, W.H. *et al.*: *Interfacial Tension and Phase Behavior of Surfactant Systems*, (Tech. Paper) SPEJ Aug., 242-252

Wasan, D.T. *et al.*: *Observations on the Coalescence Behavior of Oil Droplets and Emulsion Stability in Enhanced Oil Recovery*, (Tech. Paper) SPEJ Dec., 409-417

Whitman, D.L. *et al.*: *A Permeation Theory for In-Situ Coal Gasification*, (Transaction) SPEJ Oct., 300-314

Willhite, G.P. *et al.*: *An Experimental Investigation Into the Use of High-Pressure Liquid Chromatography for the Determination of Petroleum Sulfonates*, (Tech. Paper) SPEJ June, 207-218

Woo, P.T. and **Robertson, G.E.**: *Grid Orientation Effects and the Use of Orthogonal Curvilinear Coordinates in Reservoir Simulation*, (Tech. Paper) SPEJ Feb., 13-19

Y

Yanosik, J.L. and **Fussell, D.D.**: *An Iterative Sequence for Phase Equilibria Calculations Incorporating the Redlich-Kwong Equation of State*, (Tech. Paper) SPEJ June, 173-182

Z

Zagalai, B. *et al.*: *A Generalized Method for Making Optimal Estimates of Reservoir Aquifer Parameters*, (Transaction) SPEJ Apr., 123-132

Zana, E. *et al.*: *Phase Behavior Properties of CO2-Reservoir Oil System*, (Tech. Paper) SPEJ Feb., 20-26

Zornes, D.R. *et al.*: *An Experimental Investigation Into the Use of High-Pressure Liquid Chromatography for the Determination of Petroleum Sulfonates*, (Tech. Paper) SPEJ June, 207-218

Subject Index

A

AIME
Ethoxylated: effect on salt tolerance and optimal salinity; surfactant formulations for tertiary oil recovery, (Tech. Paper) SPEJ June, 167-172
Petroleum: determination by high-pressure liquid chromatography; experimental investigation, (Tech. Paper) SPEJ June, 207-218
Sodium alkyl aryl: adsorption on sandstone, (Transaction) SPEJ Feb., 75-82

Adsorption
Polymer/surfactant: cation exchange in chemical flooding experimental, (Tech. Paper) SPEJ Dec., 445-456
effect on chemical flood environment, (Tech. Paper) SPEJ Dec., 435-444
Sodium alkyl aryl sulfonates on sandstone, (Transaction) SPEJ Feb., 75-82

Alcohol
Partitioning: interfacial tension and phase behavior of surfactant systems, (Tech. Paper) SPEJ Aug., 242-252

Algorithm
Sequential solution, (Tech. Paper) SPEJ Oct., 355-368

Analogs
SEE: Models

Aquifers
Reservoir parameters: generalized method for making optimal estimates, (Transaction) SPEJ Apr., 123-132

B

Barriers
Formations: containment of massive hydraulic fractures, (Tech. Paper) SPEJ Feb., 27-32

Bay of Biscay
See North Sea, (Forum) SPEJ Aug., 233-238

Bayesian Statistics
Error analysis in history matching: optimum level of parametrization, (Tech. Paper) SPEJ June, 219-228

Bidding
Solo and joint: statistical analyses for federal offshore oil and gas leases, (Tech. Paper) SPEJ Apr., 87-95

Boundary Conditions
Constant-pressure outer boundary: analysis of pressure data for fractured wells, (Transaction) SPEJ Apr., 139-150

Brines
SEE: Water

Bubble Point
CO2-reservoir oil system, (Tech. Paper) SPEJ Feb., 20-26

Buckley-Leverett
Analysis of physical mechanisms: surfactant flooding, (Tech. Paper) SPEJ Feb., 42-58

Buildup Curves
SEE: Pressure Buildup

C

Calcium
Sulfate scale formation: kinetic approach, (Transaction) SPEJ Apr., 133-138

Capillarity
Effects on imbibition in porous media, (Tech. Paper) SPEJ June, 195-206

Capillary Pressure
Geothermal reservoir: three dimensional simulation, (Transaction) SPEJ Apr., 151-161

Carbon Dioxide
Reservoir oil systems: phase-behavior properties, (Tech. Paper) SPEJ Feb., 20-26

Cations
Exchange: effect on chemical flood environment, (Tech. Paper) SPEJ Dec., 435-444
in chemical flooding: experimental study, (Tech. Paper) SPEJ Dec., 445-456
in chemical flooding: basic theory without dispersion, (Tech. Paper) SPEJ Dec., 418-434

Chromatography
Cation exchange in chemical flooding: basic theory without dispersion, (Tech. Paper) SPEJ Dec., 418-434
High-pressure liquid: use for determination of petroleum sulfonates; experimental investigation, (Tech. Paper) SPEJ June, 207-218

Coalescence
Observations on behavior of oil droplets: enhanced oil recovery, (Tech. Paper) SPEJ Dec., 409-417

Coals
In-situ gasification: model calculations and laboratory experiments, (Tech. Paper) SPEJ Apr., 105-116
permeation theory for, (Transaction) SPEJ Oct., 300-314

Coefficients
Distribution: trends identified in experimental investigation: use of high-pressure liquid chromatography for determination of petroleum sulfonates, (Tech. Paper) SPEJ June, 207-218

Combustion Drive
SEE: Thermal Recovery of Oil

Combustion Method of Oil Recovery
SEE: Thermal Recovery of Oil

Computers
Algorithm: optimal design of gas transmission networks, (Tech. Paper) SPEJ Apr., 96-104
Program: making optimal estimates of reservoir-aquifer parameters; generalized method, (Transaction) SPEJ Apr., 123-132
statistical analyses of solo and joint bids; federal offshore oil and gas leases, (Tech. Paper) SPEJ Apr., 87-95
steady state gas transmission, (Tech. Paper) SPEJ Dec., 389-398

Concentration
Salt tolerance and optimal salinity: effect of ethoxylated sulfonates; surfactant formulations for tertiary oil recovery, (Tech. Paper) SPEJ June, 167-172

Conductivity
Finite: vertical fracture; transient pressure behavior for a well, (Tech. Paper) SPEJ Aug., 253-264

Coordinates
Orthogonal curvilinear: use in reservoir simulation, (Tech. Paper) SPEJ Feb., 13-19

Core Analysis
Laboratory waterflood tests at reservoir conditions: method for accurately measuring produced oil volumes, (Forum) SPEJ Aug., 239-241
Crystals
Calcium sulfate dihydrate and hemihydrate: phase transformation; kinetic approach to scale formation, (Transaction) SPEJ Apr., 133-138
Currents
Response of articulated towers, (Tech. Paper) SPEJ Oct., 283-290

D

Data
Pressure: analysis for fractured wells; the constant-pressure outer boundary, (Transaction) SPEJ Apr., 139-150
Solo and joint bids: statistical analyses for federal offshore oil and gas leases, (Tech. Paper) SPEJ Apr., 87-95
Density
Probability: from a theoretical model; comparison with observation at sea, (Forum) SPEJ Aug., 233-238
Design
Gas transmission simulator, (Tech. Paper) SPEJ Dec., 389-398
Graded viscosity banks, (Transaction) SPEJ Oct., 315-324
Offshore caissons, (Tech. Paper) SPEJ Oct., 291-299
Optimal: gas transmission networks, (Tech. Paper) SPEJ Apr., 96-104
Dew Point
CO2-reservoir oil system, (Tech. Paper) SPEJ Feb., 20-26
Dispersion
Basic theory without dispersion: cation exchange in chemical flooding, (Tech. Paper) SPEJ Dec., 418-434
Effect on chemical flood environment, (Tech. Paper) SPEJ Dec., 435-444
Displacement
SEE: Miscible Displacement
Thermal Recovery of Oil
Waterflooding
Displacement Mechanism
Surfactant flooding: analysis of physical mechanisms, (Tech. Paper) SPEJ Feb., 42-58
Dynamics
Behavior: offshore caissons, (Tech. Paper) SPEJ Oct., 291-299

E

Economics
Evaluation: waterflooding in fractured reservoirs, (Transaction) SPEJ Apr., 117-122
Emulsions
Stability: enhanced oil recovery, (Tech. Paper) SPEJ Dec., 409-417
Environments
Chemical flood: effect of dispersion, cation exchange, and polymer/surfactant adsorption, (Tech. Paper) SPEJ Dec., 435-444
Equations of State
Redlich-Kwong: an iterative sequence for phase-equilibria calculations, (Tech. Paper) SPEJ June, 173-182
Equilibrium
Surfactant systems: interfacial tension and phase behavior, (Tech. Paper) SPEJ Aug., 242-252
Equipment
Offshore caissons: dynamic behavior and design, (Tech. Paper) SPEJ Oct., 291-299
Riser string: tensioner force variations, (Transaction) SPEJ Dec., 399-408
Simulator: chemical flood compositional type, (Tech. Paper) SPEJ Oct., 339-354
Evaluations
SEE: Field Tests
Laboratory Studies
Explosives
Chemical: in-situ coal gasification, (Tech. Paper) SPEJ Apr., 105-116

F

Field Applications
SEE: Field Tests
Field Tests
In-situ coal gasification, (Transaction) SPEJ Oct., 300-314
Fingering
Viscous: method for designing graded viscosity banks, (Transaction) SPEJ Oct., 315-324
Finite Difference Method
Use in multicomponent numerical simulator, (Tech. Paper) SPEJ Oct., 355-368
Finite Element Method
Analysis of temperature and thermal stresses induced by hot-water injection, (Tech. Paper) SPEJ Dec., 457-469
Fireflood
SEE: Thermal Recovery of Oil
Flow Properties
Transient behavior: effect of vertical fracture height, (Tech. Paper) SPEJ Aug., 265-277
Flow Tests
Chemical flooding: phase relationships, (Transaction) SPEJ Oct., 325-338
Fluid Flow
SEE: Miscible Displacement
Thermal Recovery of Oil
Waterflooding
Multiphase: efficient multicomponent numerical simulator, (Tech. Paper) SPEJ Oct., 355-368
Steamflood: highly implicit model, (Tech. Paper) SPEJ Oct., 369-383
Two-phase: theory of waterflooding in fractured reservoirs, (Transaction) SPEJ Apr., 117-122
Fluid Injection
SEE: Miscible Displacement
Thermal Recovery of Oil
Waterflooding
Fluid Mechanics
Phase-behavior properties: CO2-reservoir oil system, (Tech. Paper) SPEJ Feb., 20-26
Formation Evaluation
SEE: Core Analysis
Pressure Buildup
Formation Fractures
Hydraulic: propagation in layered formations, (Tech. Paper) SPEJ Feb., 33-41
Hydraulic fractures: containment of massive ones, (Tech. Paper) SPEJ Feb., 27-32
Theory of waterflooding in fractured reservoirs, (Transaction) SPEJ Apr., 117-122
Vertical: analysis of pressure data for fractured wells; the constant-pressure outer boundary, (Transaction) SPEJ Apr., 139-150
finite-conductivity; transient pressure behavior for a well, (Tech. Paper) SPEJ Aug., 253-264
Vertical height: effect on transient flow behavior, (Tech. Paper) SPEJ Aug., 265-277
Formation Fracturing
In-situ coal gasification: laboratory experiments, (Tech. Paper) SPEJ Apr., 105-116
Thermal stresses near a heated fracture: transversely isotropic oil shale, (Transaction) SPEJ Feb., 59-74
Fractured Reservoirs or Fracturing
SEE: Formation Fractures
Formation Fracturing
Fractures
SEE: Formation Fractures

G

Gases
Transmission simulator: improved design, (Tech. Paper) SPEJ Dec., 389-398
Gasification
Coal: in-situ; model calculations and laboratory experiments, (Tech. Paper) SPEJ Apr., 105-116
In-situ coal: permeation theory for, (Transaction) SPEJ Oct., 300-314
Geothermal Gradient
SEE: Temperature
Thermal Properties
Gravity
Effect on imbibition: porous media, (Tech. Paper) SPEJ June, 195-206

H

High Pressure
Liquid chromatography: use for determination of petroleum sulfonates; experimental investigation, (Tech. Paper) SPEJ June, 207-218
History
Matching: error analysis; optimum level of parametrization, (Tech. Paper) SPEJ June, 219-228
Hydrocarbon Recovery
SEE: Oil Recovery

I

In-Situ Combustion
SEE: Thermal Recovery of Oil
Inhibition
Porous media: gravity and capillarity effects, (Tech. Paper) SPEJ June, 195-206
Injection
SEE: Miscible Displacement
Waterflooding
Hot-water: finite element analysis of temperature and thermal stresses, (Tech. Paper) SPEJ Dec., 457-469
Micellar flooding: propagation of the polymer mobility buffer bank, (Tech. Paper) SPEJ Feb., 5-12
Surfactant flooding: analysis of physical mechanisms, (Tech. Paper) SPEJ Feb., 42-58
Instrumentation
For laboratory waterflood tests at reservoir conditions: method for accurately measuring produced oil volumes, (Forum) SPEJ Aug., 239-241
Interfacial Tension
And phase behavior of surfactant systems, (Tech. Paper) SPEJ Aug., 242-252
CO2-reservoir oil system, (Tech. Paper) SPEJ Feb., 20-26
Interpretation
Well-block pressures: numerical reservoir simulation, (Transaction) SPEJ June, 183-194
Iteration
Sequence method: for phase-equilibria calculations incorporating the Redlich-Kwong equation of state, (Tech. Paper) SPEJ June, 173-182

J

Joints
Slip: force variations, (Transaction) SPEJ Dec., 399-408

K

Kinetics
Approach: calcium sulfate scale formation, (Transaction) SPEJ Apr., 133-138

L

Laboratory Studies
CO2-reservoir oil system: phase-behavior properties, (Tech. Paper) SPEJ Feb., 20-26
Calcium sulfate scale formation: kinetic approach, (Transaction) SPEJ Apr., 133-138
Cation exchange in chemical flooding, (Tech. Paper) SPEJ Dec., 445-456
Chemical flooding: phase relationships, (Transaction) SPEJ Oct., 325-338
Hydraulic fractures: propagation in layered formations, (Tech. Paper) SPEJ Feb., 33-41
Imbibition in porous media: gravity and capillarity effects, (Tech. Paper) SPEJ June, 195-206
In-situ coal gasification, (Tech. Paper) SPEJ Apr., 105-116
Micellar flooding: propagation of the polymer mobility buffer bank, (Tech. Paper) SPEJ Feb., 5-12
Surfactant systems: interfacial tension and phase behavior, (Tech. Paper) SPEJ Aug., 242-252
Use of high-pressure liquid chromatography: determination of petroleum sulfonates, (Tech. Paper) SPEJ June, 207-218
Waterflood tests: method for accurately measuring produced oil volumes at reservoir conditions, (Forum) SPEJ Aug., 239-241
Laminar Flow
SEE: Fluid Flow
Leases
Federal offshore oil and gas: statistical analyses of solo and joint bids, (Tech. Paper) SPEJ Apr., 87-95
Lignites
SEE: Coals
Linear Displacement
SEE: Displacement Mechanism
Liquids
Chromatography: high-pressure; experimental investigation into use for determination of petroleum sulfonates, (Tech. Paper) SPEJ June, 207-218
Log Interpretation
SEE: Interpretation
Louisiana
Offshore: caisson platform; dynamic behavior and design, (Tech. Paper) SPEJ Oct., 291-299

M

Mass Transfer
Interphase: efficient multicomponent numerical simulator, (Tech. Paper) SPEJ Oct., 355-368
Mathematical Modeling
SEE: Models
Measurement
Produced oil volumes: accuracy during laboratory waterflood tests at reservoir conditions, (Forum) SPEJ Aug., 239-241
Mechanical Properties
Layered formations: hydraulic fracture propagation, (Tech. Paper) SPEJ Feb., 33-41
Micellar Systems
Chemical flooding: phase relationships, (Transaction) SPEJ Oct., 325-338
Flooding: propagation of the polymer mobility buffer bank, (Tech. Paper) SPEJ Feb., 5-12
Surfactant formulations for tertiary oil recovery, (Tech. Paper) SPEJ June, 167-172

Miscible Displacement
Graded viscosity banks: method for designing, (Transaction) SPEJ Oct., 315-324
Mobility
Polymer: propagation of the buffer bank; micellar flooding, (Tech. Paper) SPEJ Feb., 5-12
Models
SEE: Simulation
Calculations: in-situ coal gasification, (Tech. Paper) SPEJ Apr., 105-116
Compositional: chemical flood simulator, (Tech. Paper) SPEJ Oct., 339-354
Finite-difference: three-dimensional geothermal reservoir simulation; (Transaction) SPEJ Apr., 151-161
Flow: transient pressure behavior; well with a finite-conductivity vertical fracture, (Tech. Paper) SPEJ Aug., 253-264
Mathematical: analysis of pressure data for fractured wells: the constant-pressure outer boundary, (Transaction) SPEJ Apr., 139-150
caisson production platform; dynamic behavior and design, (Tech. Paper) SPEJ Oct., 291-299
cation exchange in chemical flooding, (Tech. Paper) SPEJ Dec., 445-456
error analysis in history matching; optimum level of parametrization, (Tech. Paper) SPEJ June, 219-228
finite element analysis of temperature and thermal stresses induced by hot-water injection, (Tech. Paper) SPEJ Dec., 457-469
highly implicit model, (Tech. Paper) SPEJ Oct., 369-383
improved gas transmission design simulator, (Tech. Paper) SPEJ Dec., 389-398
lag in oil recovery by surfactant partitioning, (Tech. Paper) SPEJ Feb., 42-58
permeation theory for in-situ coal gasification, (Transaction) SPEJ Oct., 300-314
reservoir simulation of well-block pressures, (Transaction) SPEJ June, 183-194
reservoir-aquifer system; generalized method for making optimal estimates, (Transaction) SPEJ Apr., 123-132
riser tensioner force variation, (Transaction) SPEJ Dec., 399-408
thermal stresses near a heated fracture; transversely isotropic oil shale, (Transaction) SPEJ Feb., 59-74
vertical fracture height; effect on transient flow behavior, (Tech. Paper) SPEJ Aug., 265-277
Reservoir simulation: grid-orientation effects and use of orthogonal curvilinear coordinates, (Tech. Paper) SPEJ Feb., 13-19
Theoretical: comparison of period- or height-dependent, sea-state parameters with observation at sea, (Forum) SPEJ Aug., 233-238

N

North Sea
Bay of Biscay: comparison of period- or height-dependent, sea-state parameters from a theoretical model with observation at sea, (Forum) SPEJ Aug., 233-238
Waves and current: response of articulated towers to, (Tech. Paper) SPEJ Oct., 283-290
Numerical Solutions
Analysis of pressure data for fractured wells: the constant-pressure outer boundary, (Transaction) SPEJ Apr., 139-150
Cation exchange in chemical flooding: basic theory without dispersion, (Tech. Paper) SPEJ Dec., 418-434
Comparison of period- or height-dependent, sea-state parameters from a theoretical model with observation at sea, (Forum) SPEJ Aug., 233-238
Compositional simulation: chemical flood, (Tech. Paper) SPEJ Oct., 339-354
Containment of massive hydraulic fractures, (Tech. Paper) SPEJ Feb., 27-32
Efficient multicomponent simulator, (Tech. Paper) SPEJ Oct., 355-368
Error analysis in history matching: optimum level of parametrization, (Tech. Paper) SPEJ June, 219-228
Gas transmission design: improved design, (Tech. Paper) SPEJ Dec., 389-398
Graded viscosity banks: method for designing, (Transaction) SPEJ Oct., 315-324
Hydraulic fracture propagation: layered formations, (Tech. Paper) SPEJ Feb., 33-41
Iterative sequence for phase-equilibria calculations: incorporating the Redlich-Kwong equation, (Tech. Paper) SPEJ June, 173-182
Model calculations: in-situ coal gasification, (Tech. Paper) SPEJ Apr., 105-116
Optimal design: gas transmission networks, (Tech. Paper) SPEJ Apr., 96-104
Permeation theory: in-situ coal gasification, (Transaction) SPEJ Oct., 300-314
Physical mechanisms: surfactant flooding, (Tech. Paper) SPEJ Feb., 42-58
Reservoir simulation: grid-orientation effects and use of orthogonal curvilinear coordinates, (Tech. Paper) SPEJ Feb., 13-19
interpretation of well-block pressures, (Transaction) SPEJ June, 183-194
Reservoir-aquifer parameters: generalized method for making optimal estimates, (Transaction) SPEJ Apr., 123-132
Response of articulated towers to waves and current, (Tech. Paper) SPEJ Oct., 283-290
Riser tensioner force variations, (Transaction) SPEJ Dec., 399-408
Steamflood: highly implicit model, (Tech. Paper) SPEJ Oct., 369-383
Theory of waterflooding: fractured reservoirs, (Transaction) SPEJ Apr., 117-122
Thermal stresses near a heated fracture: transversely isotropic oil shale, (Transaction) SPEJ Feb., 59-74
Three-dimensional geothermal reservoir simulation, (Transaction) SPEJ Apr., 151-161
Transient pressure behavior: well with a finite-conductivity vertical fracture, (Tech. Paper) SPEJ Aug., 253-264

O

Offshore
Articulated towers: response to waves and current, (Tech. Paper) SPEJ Oct., 283-290
Caissons: dynamic behavior and design, (Tech. Paper) SPEJ Oct., 291-299
Offshore oil and gas: statistical analyses of solo and joint bids for federal leases, (Tech. Paper) SPEJ Apr., 87-95
Riser tensioner force variations, (Transaction) SPEJ Dec., 399-408
Oil
Droplets: observations on coalescence behavior; enhanced oil recovery, (Tech. Paper) SPEJ Dec., 409-417
Volumes produced: method for accurately measuring during laboratory waterflood tests at reservoir conditions, (Forum) SPEJ Aug., 239-241
Oil Recovery
Calculated by a chemical flood compositional simulator, (Tech. Paper) SPEJ Oct., 339-354
Enhanced: observations on coalescence behavior of oil droplets and emulsion stability, (Tech. Paper) SPEJ Dec., 409-417
Gravity and capillarity: effects on imbibition in porous media, (Tech. Paper) SPEJ June, 195-206
Oil Shales
Transversely isotropic: thermal stresses near a heated fracture, (Transaction) SPEJ Feb., 59-74

Optimization
Design of gas transmission networks, (Tech. Paper) SPEJ Apr., 96-104
Making estimates of reservoir-aquifer parameters: generalized method, (Transaction) SPEJ Apr., 123-132
Optimizing Techniques
For level of parametrization: error analysis in history matching, (Tech. Paper) SPEJ June, 219-228
Orientation
Grid effects: and use of orthogonal curvilinear coordinates in reservoir simulation, (Tech. Paper) SPEJ Feb., 13-19
Overburden
Three-dimensional simulation, (Transaction) SPEJ Apr., 151-161

P

Performance Predictions
SEE: Reservoir Analysis
Permeability
Geothermal reservoir: three-dimensional simulation, (Transaction) SPEJ Apr., 151-161
Petroleum
SEE: Oil
Petroleum Economics
SEE: Economics
Phase Behavior
And interfacial tension of surfactant systems, (Tech. Paper) SPEJ Aug., 242-252
Chemical flooding, (Transaction) SPEJ Oct., 325-338
Equilibria calculations: iterative sequence incorporating the Redlich-Kwong equation of state, (Tech. Paper) SPEJ June, 173-182
Optimal salinity: effect of ethoxylated sulfonates; surfactant formulations for tertiary oil recovery, (Tech. Paper) SPEJ June, 167-172
Properties: CO2-reservoir oil systems, (Tech. Paper) SPEJ Feb., 20-26
Transformation of calcium sulfate dihydrate and hemihydrate crystals: kinetic approach to scale formation, (Transaction) SPEJ Apr., 133-138
Physical Properties
Layered formations: hydraulic fracture propagation, (Tech. Paper) SPEJ Feb., 33-41
Optimum level of parametrization for reservoir modeling: error analysis in history matching, (Tech. Paper) SPEJ June, 219-228
Pipelines
Gas transmission network: optimal design, (Tech. Paper) SPEJ Apr., 96-104
Platforms
Design: offshore caissons, (Tech. Paper) SPEJ Oct., 291-299
Polymers
Flooding: method for designing graded viscosity banks, (Transaction) SPEJ Oct., 315-324
Mobility: propagation of the buffer bank; micellar flooding, (Tech. Paper) SPEJ Feb., 5-12
Surfactant adsorption: effect on chemical flood environment, (Tech. Paper) SPEJ Dec., 435-444
Pore Volume
Micellar flooding slug size: propagation of the polymer mobility buffer bank, (Tech. Paper) SPEJ Feb., 5-12
Porous Media
Imbibition: gravity and capillarity effects, (Tech. Paper) SPEJ June, 195-206
Pressure Behavior
Flow and shut-in: analysis of pressure data for fractured wells, (Transaction) SPEJ Apr., 139-150
Transient: well with a finite-conductivity vertical fracture, (Tech. Paper) SPEJ Aug., 253-264
Well producing at constant rate through vertical fracture, (Tech. Paper) SPEJ Aug., 265-277
Pressure Buildup
Interpretation of well-block pressures: numerical reservoir simulation, (Transaction) SPEJ June, 183-194
Pressure Gradients
Massive hydraulic fractures, (Tech. Paper) SPEJ Feb., 27-32
Pressure Maintenance
SEE: Miscible Displacement
Waterflooding
Probability
Density: from a theoretical model; comparison with observation at sea, (Forum) SPEJ Aug., 233-238
Production
Oil volumes: method for accurately measuring during laboratory waterflood tests at reservoir conditions, (Forum) SPEJ Aug., 239-241
Propagation
Hydraulic fracture: layered formations, (Tech. Paper) SPEJ Feb., 33-41
Massive hydraulic fractures, (Tech. Paper) SPEJ Feb., 27-32
Pseudo Skin Factors
Vertical fracture height: effect on transient flow behavior, (Tech. Paper) SPEJ Aug., 265-277

R

Recovery Methods
SEE: Oil Recovery
Tertiary Recovery
Thermal Recovery of Oil
Relative Permeability
SEE: Permeability
Reservoir Analysis
Interpreting error in history matching: optimum level of parametrization, (Tech. Paper) SPEJ June, 219-228
Reservoir Characteristics
Produced oil volumes: method for accurately measuring during laboratory waterflood tests at reservoir conditions, (Forum) SPEJ Aug., 239-241
Reservoir Engineering
SEE: Reservoir Mechanics
Reservoir Fluids
CO2 and oil: phase-behavior properties, (Tech. Paper) SPEJ Feb., 20-26
Reservoir Mechanics
Hydraulic fracture propagation: layered formations, (Tech. Paper) SPEJ Feb., 33-41
Massive hydraulic fractures: containment of, (Tech. Paper) SPEJ Feb., 27-32
Reservoir Pressure
SEE: Pressure Behavior
Reservoir Rocks
SEE: Porous Media
Reservoir Simulation
SEE: Models
Efficient multicomponent numerical simulator, (Tech. Paper) SPEJ Oct., 355-368
Geothermal: three-dimensional, (Transaction) SPEJ Apr., 151-161
Grid-orientation effects and use of orthogonal curvilinear coordinates, (Tech. Paper) SPEJ Feb., 13-19
Highly implicit steamflood, (Tech. Paper) SPEJ Oct., 369-383
Numerical solution: interpretation of well-block pressures, (Transaction) SPEJ June, 183-194
Optimum level of parametrization: error analysis in history matching, (Tech. Paper) SPEJ June, 219-228
Reservoirs
Aquifer parameters: generalized method for making optimal estimates, (Transaction) SPEJ Apr., 123-132
Fractured: theory of waterflooding, (Transaction) SPEJ Apr., 117-122
Reverse Combustion
SEE: Thermal Recovery of Oil

Rocky Mountain Area
Massive hydraulic fractures: containment of, (Tech. Paper) SPEJ Feb., 27-32

S

Salinity
SEE: Salt Content
Salt Content
Tolerance and optimal salinity: effect of ethoxylated sulfonates; surfactant formulations for tertiary oil recovery, (Tech. Paper) SPEJ June, 167-172
Sandstone
Adsorption of sodium alkyl aryl, (Transaction) SPEJ Feb., 75-82
Saturation
Geothermal reservoir: three-dimensional simulation, (Transaction) SPEJ Apr., 151-161
Scale
Formation: calcium sulfate; kinetic approach, (Transaction) SPEJ Apr., 133-138
Secondary Recovery
SEE: Miscible Displacement
Thermal Recovery of Oil
Waterflooding
Separation
Quantitative: high-pressure liquid chromatography; determination of petroleum sulfonates, (Tech. Paper) SPEJ June, 207-218
Shale Oils
SEE: Oil Shales
Simulation
Compositional: chemical flood, (Tech. Paper) SPEJ Oct., 339-354
Gas transmission design, (Tech. Paper) SPEJ Dec., 389-398
Slug Process
SEE: Miscible Displacement
Micellar flooding: propagation of the polymer mobility buffer bank, (Tech. Paper) SPEJ Feb., 5-12
Stability
Emulsion: enhanced oil recovery, (Tech. Paper) SPEJ Dec., 409-417
Statistics
Analysis of solo and joint bids: federal offshore oil and gas leases, (Tech. Paper) SPEJ Apr., 87-95
Steam Injection
SEE: Thermal Recovery of Oil
Storms
North Sea, Bay of Biscay: comparison of period- or height-dependent, sea-state parameters from a theoretical model with observation at sea, (Forum) SPEJ Aug., 233-238
Stratification
SEE: Permeability
Stresses
Massive hydraulic fractures: containment of, (Tech. Paper) SPEJ Feb., 27-32
Thermal: near a heated fracture; transversely isotropic oil shale, (Transaction) SPEJ Feb., 59-74
Surfactants
Adsorption: cation exchange in chemical flooding, (Tech. Paper) SPEJ Dec., 445-456
Cation exchange in chemical flooding: basic theory without dispersion, (Tech. Paper) SPEJ Dec., 418-434
Flooding: analysis of physical mechanisms, (Tech. Paper) SPEJ Feb., 42-58
Formulations for tertiary oil recovery: effect of ethoxylated sulfonates on salt tolerance and optimal salinity, (Tech. Paper) SPEJ June, 167-172
Interfacial tension and phase behavior of, (Tech. Paper) SPEJ Aug., 242-252
Polymer adsorption: effect on chemical flood environment, (Tech. Paper) SPEJ Dec., 435-444
Sodium alkyl aryl sulfonates: adsorption on sandstones, (Transaction) SPEJ Feb., 75-82

T

Temperature
Finite element analysis of: hot-water injection, (Tech. Paper) SPEJ Dec., 457-469
Tertiary Recovery
Chemical flooding: phase relationships, (Transaction) SPEJ Oct., 325-338
Phase-equilibria calculations: an iterative sequence incorporating the Redlich-Kwong equation of state, (Tech. Paper) SPEJ June, 173-182
Surfactant flooding: analysis of physical mechanisms, (Tech. Paper) SPEJ Feb., 42-58
Surfactant formulations for oil: effect of ethoxylated sulfonates on salt tolerance and optimal salinity, (Tech. Paper) SPEJ June, 167-172
Testing
SEE: Field Tests
Thermal Properties
Stresses induced by hot-water injection: finite element analysis, (Tech. Paper) SPEJ Dec., 457-469
Thermal Recovery of Oil
Reservoir simulation: grid-orientation effects and use of orthogonal curvilinear coordinates, (Tech. Paper) SPEJ Feb., 13-19
Steamflood: highly implicit model, (Tech. Paper) SPEJ Oct., 369-383
Thermal stresses near a heated fracture: transversely isotropic oil shale, (Transaction) SPEJ Feb., 59-74
Tower
Articulated: response to waves and current, (Tech. Paper) SPEJ Oct., 283-290
Transformations
Calcium sulfate dihydrate and hemihydrate crystals: kinetic approach to scale formation, (Transaction) SPEJ Apr., 133-138
Transient Flow
Analysis of pressure data for fractured wells: the constant-pressure outer boundary, (Transaction) SPEJ Apr., 139-150
Transients
Flow behavior: effect of vertical fracture height, (Tech. Paper) SPEJ Aug., 265-277
Pressure behavior: well with a finite-conductivity vertical fracture, (Tech. Paper) SPEJ Aug., 253-264
Transmissibility
Geothermal reservoir: three-dimensional simulation, (Transaction) SPEJ Apr., 151-161
Transmission
Gas: improved design simulator, (Tech. Paper) SPEJ Dec., 389-398
Gas networks: optimal design, (Tech. Paper) SPEJ Apr., 96-104
Turbulent Flow
SEE: Fluid Flow

U

Underground Combustion
SEE: Thermal Recovery of Oil

V

Viscosity
Graded banks: method for designing, (Transaction) SPEJ Oct., 315-324
Viscous Flow
SEE: Fluid Flow

W

Water
Hot: finite element analysis of temperature and thermal stresses induced by injection, (Tech. Paper) SPEJ Dec., 457-469
Waterflood Tests
Laboratory: method for accurately measuring produced oil volumes at reservoir conditions, (Forum) SPEJ Aug., 239-241
Waterflooding
Fractured reservoirs: theory of, (Transaction) SPEJ Apr., 117-122
Reservoir simulation: grid-orientation effects and use of orthogonal curvilinear coordinates, (Tech. Paper) SPEJ Feb., 13-19
Sandstone: adsorption of sodium alkyl aryl sulfonates, (Transaction) SPEJ Feb., 75-82
Wave Action
Response of articulated towers, (Tech. Paper) SPEJ Oct., 283-290
Wave Height
Comparison of sea-state parameters from a theoretical model with observation at sea, (Forum) SPEJ Aug., 233-238
Well Pattern
Five-spot: reservoir simulation; interpretation of well-block pressures, (Transaction) SPEJ June, 183-194
Well Performance
Transient pressure behavior: well with a finite-conductivity vertical fracture, (Tech. Paper) SPEJ Aug., 253-264
Well Stimulation
SEE: Formation Fracturing
Wellbore Mechanics
SEE: Well Performance
Wyoming
In-situ coal gasification: permeation theory, (Transaction) SPEJ Oct., 300-314